


-BI-



BI-124967

CustomComponentProvider

com.finebi.provider.api.component.CustomComponentProvider

```
package com.finebi.provider.api.component;

import com.finebi.common.context.OperationContext;
import com.finebi.provider.api.component.data.DataModel;
import com.fr.common.annotations.Open;
import com.fr.stable.fun.mark.Mutable;
```

```

import com.fr.web.struct.AssembleComponent;
import java.util.List;

@Open
public interface CustomComponentProvider extends Mutable {
    String XML_TAG = "CustomComponentProvider";
    int CURRENT_LEVEL = 1;

    /**
     *
     *
     * @return
     */
    String getName();

    /**
     *
     *
     * @return
     */
    String getType();

    /**
     * icon
     *
     * @return
     */
    String getIcon();

    /**
     * icon
     *
     * @return
     */
    String getPreviewIcon();

    /**
     * dom
     *
     * @param var1
     * @return
     */
    String getEditPageHTML(OperationContext var1);

    /**
     * jscss
     *
     * @param var1
     * @return
     */
    AssembleComponent editClient(OperationContext var1);

    /**
     * dom context
     *
     * @param var1
     * @return
     */
    String getPreviewPageHTML(OperationContext var1);

    /**
     * jscss
     *
     * @param var1
     * @return
     */
    AssembleComponent previewClient(OperationContext var1);

    /**
     *
     *
     */
}

```

```
    * @return json
    */
    String config();

    /**
     *
     *
     * @param var1
     * @return
     */
    boolean needDataProcess(CustomComponentContext var1);

    /**
     * BI
     *
     * @param var1
     * @param var2
     * @return
     */
    List<DataModel> process(List<DataModel> var1, CustomComponentContext var2);
}
```

AbstractCustomComponentProvider

com.finebi.provider.api.component.AbstractCustomComponentProvider

```
package com.finebi.provider.api.component;

import com.finebi.common.context.OperationContext;
import com.finebi.provider.api.component.data.DataModel;
import com.fr.stable.fun.mark.API;
import com.fr.web.struct.AssembleComponent;
import java.util.List;

@API(
    level = 1
)
public abstract class AbstractCustomComponentProvider implements CustomComponentProvider {
    public AbstractCustomComponentProvider() {
    }

    public String getPreviewIcon() {
        return this.getIcon();
    }

    public String getEditPageHTML(OperationContext context) {
        return this.getPreviewPageHTML(context);
    }

    public AssembleComponent editClient(OperationContext context) {
        return this.previewClient(context);
    }

    public int currentAPILevel() {
        return 1;
    }

    public String mark4Provider() {
        return this.getClass().getName();
    }

    public boolean needDataProcess(CustomComponentContext customComponentContext) {
        return false;
    }

    public List<DataModel> process(List<DataModel> dataModels, CustomComponentContext customComponentContext) {
        return dataModels;
    }
}
```

AbstractCustomComponentProvider

```
public class MapHotComponentProvider extends AbstractCustomComponentProvider
```

```

import com.finebi.common.context.OperationContext;
import com.finebi.plugin.tptj.ivan.chart.demo.amap.component.MapHotComponent;
import com.finebi.plugin.tptj.ivan.chart.demo.amap.constant.PluginConstantsEK;
import com.finebi.provider.api.component.AbstractCustomComponentProvider;
import com.fr.base.TemplateUtils;
import com.fr.general.IOUtils;
import com.fr.intelli.record.Focus;
import com.fr.intelli.record.Original;
import com.fr.record.analyzer.EnableMetrics;
import com.fr.web.struct.AssembleComponent;

@EnableMetrics
public class MapHotComponentProvider extends AbstractCustomComponentProvider {
    /**
     *
     */
    @Override
    public String getName() {
        return PluginConstantsEK.PLUGIN_MAP_NAME;
    }

    /**
     * @return
     */
    @Override
    public String getType() {
        return PluginConstantsEK.PLUGIN_MAP_TYPE;
    }

    /**
     *
     *
     * @return icon
     */
    @Override
    public String getIcon() {
        try {
            String render = TemplateUtils.render("${fineServletURL}");
            return render + "/resources?path=/com/finebi/plugin/tptj/ivan/chart/demo/amap/icon.png";
        } catch (Exception ignore) {
        }
        return "";
    }

    /**
     * @param context
     * @return
     */
    @Focus(id = PluginConstantsEK.PLUGIN_ID, text = PluginConstantsEK.PLUGIN_NAME, source = Original.PLUGIN)
    @Override
    public String getPreviewPageHTML(OperationContext context) {
        return "<div id=\"amap-demo-container\"></div>";
    }

    @Override
    public AssembleComponent previewClient(OperationContext context) {
        return MapHotComponent.KEY;
    }


    /**
     * JSON
     *
     * @return
     */
    @Override
    public String config() {
        return IOUtils.readResourceAsString("com/finebi/plugin/tptj/ivan/chart/demo/amap/config/config.json");
    }
}

```

plugin.xml

plugin.xml

```
<extra-core>
  <CustomComponentProvider
    class="com.finebi.plugin.tptj.ivan.chart.demo.amap.MapHotComponentProvider"/>
</extra-core>
```



AbstractCustomComponentProviderconfigjson

config.json

```
{
  "dataRegions": [
    {
      "name": "lat",
      "text": "Plugin-DEMO_WEB_LAT"
    },
    {
      "name": "lng",
      "text": "Plugin-DEMO_WEB_LNG"
    }
  ],
  "attrRegions": [
    {
      "name": "",
      "text": "Plugin-DEMO_WEB_FG",
      "multiFields": false,
      "settings": []
    }
  ],
  "chartStyles": [
    {
      "name": "mapProp",
      "text": "Plugin-DEMO_WEB_MAP_ATTRIBUTE",
      "multiFields": true,
      "settings": [
        {
          "name": "centerLng",
          "text": "Plugin-DEMO_WEB_CENTER_LNG",
          "type": "Input",

```




JSON

- dataRegions
 - JSONARRAY
 -
 -
 -
- attrRegions
 - JSONARRAY
 -
 - settings
 - JSONARRAYcolorsizesymbolCheckboxRadioGroupSegmentSelectColorPickerInput
- chartStyles
 - JSONARRAY
 -
 - type
 - CheckboxRadioGroupSegmentSelectColorPickerInput

nameidjsnametextkey

```
config.json

{
  "dataRegions": [
    {
      "name": "1",
      "text": "key"
    }
  ]
}
```



```

    },
    {
      "name": "2"
    }
  ],
  "attrRegions": [
    {
      "name": "1",
      "multiFields": false,
      "settings": "color"
    },
    {
      "name": "1",
      "multiFields": true,
      "settings": "size"
    },
    {
      "name": "1",
      "multiFields": false,
      "settings": "symbol"
    },
    {
      "name": "",
      "multiFields": false,
      "settings": [
        {
          "name": "Checkbox",
          "type": "Checkbox",
          "defaultValue": ["2", "3"],
          "items": [
            {
              "text": "1",
              "value": "1"
            },
            {
              "text": "2",
              "value": "2"
            },
            {
              "text": "2",
              "value": "3"
            }
          ]
        }
      ]
    },
    {
      "name": "RadioGroup",
      "type": "RadioGroup",
      "defaultValue": "2",
      "items": [
        {
          "text": "1",
          "value": "1"
        },
        {
          "text": "2",
          "value": "2"
        }
      ]
    },
    {
      "name": "Segment",
      "type": "Segment",
      "defaultValue": "2",
      "items": [
        {
          "text": "1",
          "value": "1"
        },
        {
          "text": "2",
          "value": "2"
        }
      ]
    }
  ]
}

```

```

        }
    ]
},
{
    "name": "Select",
    "type": "Select",
    "defaultValue": "1",
    "items": [
        {
            "text": "1",
            "value": "1"
        },
        {
            "text": "2",
            "value": "2"
        }
    ]
},
{
    "name": "ColorPicker",
    "type": "ColorPicker",
    "defaultValue": "#ffffff"
},
{
    "name": "Input",
    "type": "Input",
    "defaultValue": "test"
}
]
},
{
    "name": "111",
    "multiFields": true
},
{
    "name": "2",
    "multiFields": false
}
],
"chartStyles": [
    {
        "name": "",
        "settings": [
            {
                "name": "Checkbox",
                "type": "Checkbox",
                "defaultValue": ["2", "3"],
                "items": [
                    {
                        "text": "1",
                        "value": "1"
                    },
                    {
                        "text": "2",
                        "value": "2"
                    },
                    {
                        "text": "2",
                        "value": "3"
                    }
                ]
            }
        ],
        "name": "RadioGroup",
        "type": "RadioGroup",
        "defaultValue": "2",
        "items": [
            {
                "text": "1",
                "value": "1"
            }
        ],

```

```

        {
            "text": "2",
            "value": "2"
        }
    ]
},
{
    "name": "Segment",
    "type": "Segment",
    "defaultValue": "2",
    "items": [
        {
            "text": "1",
            "value": "1"
        },
        {
            "text": "2",
            "value": "2"
        }
    ]
},
{
    "name": "Select",
    "type": "Select",
    "defaultValue": "1",
    "items": [
        {
            "text": "1",
            "value": "1"
        },
        {
            "text": "2",
            "value": "2"
        }
    ]
},
{
    "name": "ColorPicker",
    "type": "ColorPicker",
    "defaultValue": "#ffffff"
},
{
    "name": "Input",
    "type": "Input",
    "defaultValue": "test"
}
    ]
}
]
}


```

render

```
function render(  
    data, //  
    config, //  
    saveSessionCallback,  
    closeSessionCallBack,  
    extensionCallBack  
) {}  
  
//  
new BIPlugin().init(render);
```

demo

```
(function ($) {  
    function render(  
        data, //  
        config, //  
        saveSessionCallback,  
        closeSessionCallBack,  
        extensionCallBack  
    ) {  
        // dom AbstractCustomComponentProvider#getPreviewPageHTML  
        const dom = document.getElementById("amap-demo-container");  
  
        //  
        dom.style.width = document.body.clientWidth + "px";  
        dom.style.height = document.body.clientHeight + "px";  
  
        //  
        const mapAttribute = config["chartStyle"][""]["value"];  
  
        //  
        const map = new AMap.Map(dom, {  
            resizeEnable: true,  
            center: [mapAttribute[0], mapAttribute[1]],  
            zoom: mapAttribute[2],  
        });  
  
        //  
        const styleName = "amap://styles/" + mapAttribute[3];  
        map.setMapStyle(styleName);  
  
        window.addEventListener("resize", function () {  
            dom.style.width = document.body.clientWidth + "px";  
            dom.style.height = document.body.clientHeight + "px";  
        });  
    }  
  
    //  
    new BIPlugin().init(render);  
})(jQuery);
```



jsdataconfig

demo

```
(function ($) {  
  function render(  
    data, //  
    config, //  
    saveSessionCallback,  
    closeSessionCallBack,  
    extensionCallBack  
  ) {  
    debugger;  
  
    // dom  
    const dom = document.getElementById("amap-demo-container");  
  
    //  
    dom.style.width = document.body.clientWidth + "px";  
    dom.style.height = document.body.clientHeight + "px";  
  
    //  
    const mapAttribute = config["chartStyle"][""]["value"];  
  
    //  
    const map = new AMap.Map(dom, {  
      resizeEnable: true,  
      center: [mapAttribute[0], mapAttribute[1]],  
      zoom: mapAttribute[2],  
    });  
  
    //  
    const styleName = "amap://styles/" + mapAttribute[3];  
    map.setMapStyle(styleName);  
  
    //  
    const points = _getAllPoint(data.dataMapping, data.dataModels[0]);  
  
    if (points != null) {  
      //  
      var pointCluster = new AMap.MarkerCluster(map, points, {  
        gridSize: 60, //  
        renderClusterMarker: _renderCarClusterMarker, //  
        renderMarker: _renderMarker, //  
      });  
    }  
  }  
})
```

```

        window.addEventListener("resize", function () {
            dom.style.width = document.body.clientWidth + "px";
            dom.style.height = document.body.clientHeight + "px";
        });
    }

    /**
     *
     * @param context
     * @private
     */
    function _renderCarClusterMarker(context) {
        let count = context.count;
        let factor = context.count / count;
        const div = document.createElement('div');
        const Hue = 180 - factor * 180;
        let bgColor;
        if (context.count < 10) {
            bgColor = 'hsla(108,100%,40%,1)';
        } else if (context.count < 100) {
            bgColor = 'hsl(201,100%,40%)';
        } else if (context.count < 1000) {
            bgColor = 'hsla(36,100%,50%,1)';
        } else if (context.count < 10000) {
            bgColor = 'hsla(0,100%,60%,1)';
        } else {
            bgColor = 'hsla(0,100%,40%,1)';
        }
        const fontColor = 'hsla(' + Hue + ',100%,90%,1)';
        const borderColor = bgColor;
        const shadowColor = 'hsla(' + Hue + ',100%,90%,1)';
        div.style.backgroundColor = bgColor;
        const size = Math.round(30 + Math.pow(context.count / count, 1 / 5) * 20);
        div.style.width = div.style.height = size + 'px';
        div.style.border = 'solid 1px ' + borderColor;
        div.style.borderRadius = size / 2 + 'px';
        div.style.boxShadow = '0 0 5px ' + shadowColor;
        div.innerHTML = context.count;
        div.style.lineHeight = size + 'px';
        div.style.color = fontColor;
        div.style.fontSize = '14px';
        div.style.textAlign = 'center';
        context.marker.setOffset(new AMap.Pixel(-size / 2, -size / 2));
        context.marker.setContent(div)
    }

    /**
     *
     * @param context
     * @private
     */
    function _renderMarker(context) {
        var content = '<div style="background-color: rgba(255,255,178,.9); height: 18px; width: 18px; border: 1px solid rgba(255,255,178,1); border-radius: 12px; box-shadow: rgba(0, 0, 0, 1) 0px 0px 3px;"></div>';
        var offset = new AMap.Pixel(-9, -9);
        context.marker.setContent(content)
        context.marker.setOffset(offset)
    }

    /**
     *
     * @param dataMapping
     * @param dataModel
     * @returns {*}[]
     * @private
     */
    function _getAllPoint(dataMapping, dataModel) {
        let lngId = dataMapping[''];
        let latId = dataMapping[''];
    }

```

```

let files = dataModel.fields;
let rowCount = dataModel.rowCount;
const colData = dataModel.colData;

let lngIndex;
let latIndex;


// demo
files.forEach((item, index) => {
  if (lngId.indexOf(item.id) >= 0) {
    lngIndex = index;
  }
  if (latId.indexOf(item.id) >= 0) {
    latIndex = index;
  }
})


var points = [];
for (let i = 0; i < rowCount; i++) {
  points.push({
    lnglat: [colData[lngIndex][i], colData[latIndex][i]],
  })
}

return points;
}

//
new BIPlugin().init(render);
})(jQuery);

```





DEMO

DEMO

dataModels

CustomComponentProviderneedDataProcessprocess

```
/**
 *
 * true
 * false
 * CustomComponentContext:
 */
@Override
public boolean needDataProcess(CustomComponentContext customComponentContext) {
    return true;
}

/**
 *
 * needDataProcesstrue
 * CustomComponentContext:
 */
@Override
public List<DataModel> process(List<DataModel> dataModels, CustomComponentContext customComponentContext) {
    return dataModels;
}
```


DEMO

DEMO

```
/**
 *
 * true
 * false
 * CustomComponentContext:
 */
@Override
public boolean needDataProcess(CustomComponentContext customComponentContext) {
    return true;
}

/**
 *
 * needDataProcesstrue
 * CustomComponentContext:
 */
@Override
public List<DataModel> process(List<DataModel> dataModels, CustomComponentContext customComponentContext) {
    return dataModels.stream().map(dataModel -> new DataModel() {
        @Override
        public List<Dimension> getFields() {
            return dataModel.getFields();
        }

        @Override
        public List<List<Object>> getColData() {
            List<List<Object>> colData = new ArrayList<>(dataModel.getFields().size());
            dataModel.getColData().forEach(d -> colData.add(Collections.singletonList(d.get((int) (Math.random()
* d.size())))));
            return colData;
        }
    }).collect(Collectors.toList());
}
```



DEMO

DEMO

JSextensionCallBack('refresh')extensionCallBackrender

```
function render(data, config, saveSessionCallback, closeSessionCallBack, extensionCallBack) {
    function userClick(){
        // iframe
        extensionCallBack('refresh');
    }
}

//
new BIPlugin().init(render);
```

DEMOiframe

demo

```
(function ($) {
    function render(
        data, //
        config, //
        saveSessionCallback,
        closeSessionCallBack,
        extensionCallBack
    ) {
        debugger;

        // dom
        const dom = document.getElementById("amap-demo-container");

        //
        dom.style.width = document.body.clientWidth + "px";
        dom.style.height = document.body.clientHeight + "px";

        //
        const mapAttribute = config["chartStyle"]["mapProp"]["value"];

        //
        const map = new AMap.Map(dom, {
            resizeEnable: true,
            center: [mapAttribute[0], mapAttribute[1]],
            zoom: mapAttribute[2],
        });

        //
        const styleName = "amap://styles/" + mapAttribute[3];
        map.setMapStyle(styleName);

        //
        const points = _getAllPoint(data.dataMapping, data.dataModels[0]);

        if (points != null) {
            //
            var pointCluster = new AMap.MarkerCluster(map, points, {
                gridSize: 60, //
                renderClusterMarker: _renderCarClusterMarker, //
                renderMarker: _renderMarker, //
            });
        }

        window.addEventListener("resize", function () {
            dom.style.width = document.body.clientWidth + "px";
```

```

        dom.style.height = document.body.clientHeight + "px";
    });

    document.querySelector("#amap-demo-click").onclick = function () {
        extensionCallBack('refresh');
    }
}

/**
 *
 * @param context
 * @private
 */
function _renderCarClusterMarker(context) {
    let count = context.count;
    let factor = context.count / count;
    const div = document.createElement('div');
    const Hue = 180 - factor * 180;
    let bgColor;
    if (context.count < 10) {
        bgColor = 'hsla(108,100%,40%,1)';
    } else if (context.count < 100) {
        bgColor = 'hsl(201,100%,40%)';
    } else if (context.count < 1000) {
        bgColor = 'hsla(36,100%,50%,1)';
    } else if (context.count < 10000) {
        bgColor = 'hsla(0,100%,60%,1)';
    } else {
        bgColor = 'hsla(0,100%,40%,1)';
    }
    const fontColor = 'hsla(' + Hue + ',100%,90%,1)';
    const borderColor = bgColor;
    const shadowColor = 'hsla(' + Hue + ',100%,90%,1)';
    div.style.backgroundColor = bgColor;
    const size = Math.round(30 + Math.pow(context.count / count, 1 / 5) * 20);
    div.style.width = div.style.height = size + 'px';
    div.style.border = 'solid 1px ' + borderColor;
    div.style.borderRadius = size / 2 + 'px';
    div.style.boxShadow = '0 0 5px ' + shadowColor;
    div.innerHTML = context.count;
    div.style.lineHeight = size + 'px';
    div.style.color = fontColor;
    div.style.fontSize = '14px';
    div.style.textAlign = 'center';
    context.marker.setOffset(new AMap.Pixel(-size / 2, -size / 2));
    context.marker.setContent(div)
}

/**
 *
 * @param context
 * @private
 */
function _renderMarker(context) {
    var content = '<div style="background-color: rgba(255,255,178,.9); height: 18px; width: 18px; border: 1px solid rgba(255,255,178,1); border-radius: 12px; box-shadow: rgba(0, 0, 0, 1) 0px 0px 3px;"></div>';
    var offset = new AMap.Pixel(-9, -9);
    context.marker.setContent(content)
    context.marker.setOffset(offset)
}

/**
 *
 * @param dataMapping
 * @param dataModel
 * @returns {*}[]
 * @private
 */
function _getAllPoint(dataMapping, dataModel) {
    let lngId = dataMapping['lat'];
    let latId = dataMapping['lng'];

```

```

let files = dataModel.fields;
let rowCount = dataModel.rowCount;
const colData = dataModel.colData;

let lngIndex;
let latIndex;


// demo
files.forEach((item, index) => {
  if (lngId.indexOf(item.id) >= 0) {
    lngIndex = index;
  }
  if (latId.indexOf(item.id) >= 0) {
    latIndex = index;
  }
})

var points = [];
for (let i = 0; i < rowCount; i++) {
  points.push({
    lnglat: [colData[lngIndex][i], colData[latIndex][i]],
  })
}

return points;
}

//
new BIPlugin().init(render);
})(jQuery);

```



DEMO

[DEMO](#)

```

function render(data, config, saveSessionCallback, closeSessionCallBack, extensionCallBack) {
  function userClick(){
    // {xxx: yyy}config.customConfigconfig.customConfig
    saveSessionCallback({xxx: yyy});
    // iframe
    extensionCallBack('refresh');
  }
}

//
new BIPlugin().init(render);

```

DEMOiframe

demo

```

(function ($) {
  function render(
    data, //
    config, //
    saveSessionCallback,
    closeSessionCallBack,
    extensionCallBack
  ) {
    debugger;

    // dom
    const dom = document.getElementById("amap-demo-container");

    //
    dom.style.width = document.body.clientWidth + "px";
    dom.style.height = document.body.clientHeight + "px";

    //
    const mapAttribute = config["chartStyle"]["mapProp"]["value"];

    //
    let map;
    let customConfig = config.customConfig;
    if (customConfig != null && JSON.stringify(customConfig).length > 2) {
      //
      map = new AMap.Map(dom, {
        resizeEnable: true,
        center: [customConfig.lng, customConfig.lat],
        zoom: customConfig.zoom,
      });
    } else {
      map = new AMap.Map(dom, {
        resizeEnable: true,
        center: [mapAttribute[0], mapAttribute[1]],
        zoom: mapAttribute[2],
      });
    }

    //
    const styleName = "amap://styles/" + mapAttribute[3];
    map.setMapStyle(styleName);

    //
    const points = _getAllPoint(data.dataMapping, data.dataModels[0]);

    if (points != null) {
      //

```

```

        var pointCluster = new AMap.MarkerCluster(map, points, {
            gridSize: 60, //
            renderClusterMarker: _renderCarClusterMarker, //
            renderMarker: _renderMarker, //
        });
    }

    window.addEventListener("resize", function () {
        dom.style.width = document.body.clientWidth + "px";
        dom.style.height = document.body.clientHeight + "px";
    });

    document.querySelector("#amap-demo-click").onclick = function () {
        let conf = {
            zoom: map.getZoom(),
            lng: map.getCenter().lng,
            lat: map.getCenter().lat,
        };
        //
        saveSessionCallback(conf);
        extensionCallBack('refresh');
    }
}

/**
 *
 * @param context
 * @private
 */
function _renderCarClusterMarker(context) {
    let count = context.count;
    let factor = context.count / count;
    const div = document.createElement('div');
    const Hue = 180 - factor * 180;
    let bgColor;
    if (context.count < 10) {
        bgColor = 'hsla(108,100%,40%,1)';
    } else if (context.count < 100) {
        bgColor = 'hsl(201,100%,40%)';
    } else if (context.count < 1000) {
        bgColor = 'hsla(36,100%,50%,1)';
    } else if (context.count < 10000) {
        bgColor = 'hsla(0,100%,60%,1)';
    } else {
        bgColor = 'hsla(0,100%,40%,1)';
    }
    const fontColor = 'hsla(' + Hue + ',100%,90%,1)';
    const borderColor = bgColor;
    const shadowColor = 'hsla(' + Hue + ',100%,90%,1)';
    div.style.backgroundColor = bgColor;
    const size = Math.round(30 + Math.pow(context.count / count, 1 / 5) * 20);
    div.style.width = div.style.height = size + 'px';
    div.style.border = 'solid 1px ' + borderColor;
    div.style.borderRadius = size / 2 + 'px';
    div.style.boxShadow = '0 0 5px ' + shadowColor;
    div.innerHTML = context.count;
    div.style.lineHeight = size + 'px';
    div.style.color = fontColor;
    div.style.fontSize = '14px';
    div.style.textAlign = 'center';
    context.marker.setOffset(new AMap.Pixel(-size / 2, -size / 2));
    context.marker.setContent(div)
}

/**
 *
 * @param context
 * @private
 */
function _renderMarker(context) {

```

```

        var content = '<div style="background-color: rgba(255,255,178,.9); height: 18px; width: 18px; border: 1px solid rgba(255,255,178,1); border-radius: 12px; box-shadow: rgba(0, 0, 0, 1) 0px 0px 3px;"></div>';
        var offset = new AMap.Pixel(-9, -9);
        context.marker.setContent(content)
        context.marker.setOffset(offset)
    }

    /**
     *
     * @param dataMapping
     * @param dataModel
     * @returns {*}[]
     * @private
     */
    function _getAllPoint(dataMapping, dataModel) {
        let lngId = dataMapping['lat'];
        let latId = dataMapping['lng'];

        let files = dataModel.fields;
        let rowCount = dataModel.rowCount
        const colData = dataModel.colData;

        let lngIndex;
        let latIndex;


        // demo
        files.forEach((item, index) => {
            if (lngId.indexOf(item.id) >= 0) {
                lngIndex = index;
            }
            if (latId.indexOf(item.id) >= 0) {
                latIndex = index;
            }
        })

        var points = [];
        for (let i = 0; i < rowCount; i++) {
            points.push({
                lnglat: [colData[lngIndex][i], colData[latIndex][i]],
            })
        }

        return points;
    }

    //
    new BIPlugin().init(render);
})(jQuery);

```



DEMO

DEMO

click

组件1

id	经度	纬度
6	126.69	45.79
合计	126.69	45.79

编辑...

开启跳转

跳转设置...

联动设置...

显示标

联动设置...

编辑标题...

显示快捷设置

```
const currentClicked = {
  dId: id,
  value: val
};
extensionCallBack(
  'click',
  currentClicked
);
```

DEMO

demo

```
(function ($) {
  function render(
    data, //
    config, //
    saveSessionCallback,
    closeSessionCallBack,
    extensionCallBack
  ) {
    debugger;

    // dom
    const dom = document.getElementById("amap-demo-container");

    //
    dom.style.width = document.body.clientWidth + "px";
    dom.style.height = document.body.clientHeight + "px";

    const {
```



```

        // dataModels
        dataModels,
        // id
        dataMapping,
        // id
        chartAttrMapping,
        //
        clicked
    } = data;

    const {
        // id
        widgetId,
        //
        globalStyles,
        //
        chartAttr,
        //
        chartStyle,
        //
        symbolIconMap,
        // (saveSessionCallback)
        customConfig
    } = config;

    //
    const mapAttribute = chartStyle["mapProp"]["value"];

    //
    let map;
    if (customConfig != null && JSON.stringify(customConfig).length > 2) {
        //
        map = new AMap.Map(dom, {
            resizeEnable: true,
            center: [customConfig.lng, customConfig.lat],
            zoom: customConfig.zoom,
        });
    } else {
        map = new AMap.Map(dom, {
            resizeEnable: true,
            center: [mapAttribute[0], mapAttribute[1]],
            zoom: mapAttribute[2],
        });
    }

    //
    const styleName = "amap://styles/" + mapAttribute[3];
    map.setMapStyle(styleName);

    //
    const points = _getAllPoint(dataMapping, dataModels[0]);

    if (points != null) {
        //
        var pointCluster = new AMap.MarkerCluster(map, points, {
            gridSize: 60, //
            renderClusterMarker: _renderCarClusterMarker, //
            renderMarker: _renderMarker, //
        });
    }

    window.addEventListener("resize", function () {
        dom.style.width = document.body.clientWidth + "px";
        dom.style.height = document.body.clientHeight + "px";
    });

    document.querySelector("#amap-demo-click").onclick = function () {
        let conf = {
            zoom: map.getZoom(),
            lng: map.getCenter().lng,

```

```

        lat: map.getCenter().lat,
    };
    //
    saveSessionCallback(conf);
    extensionCallBack('refresh');
}

/**
 *
 * @param context
 * @private
 */
function _renderCarClusterMarker(context) {
    let count = context.count;
    let factor = context.count / count;
    const div = document.createElement('div');
    const Hue = 180 - factor * 180;
    let bgColor;
    if (context.count < 10) {
        bgColor = 'hsla(108,100%,40%,1)';
    } else if (context.count < 100) {
        bgColor = 'hsl(201,100%,40%)';
    } else if (context.count < 1000) {
        bgColor = 'hsla(36,100%,50%,1)';
    } else if (context.count < 10000) {
        bgColor = 'hsla(0,100%,60%,1)';
    } else {
        bgColor = 'hsla(0,100%,40%,1)';
    }
    const fontColor = 'hsla(' + Hue + ',100%,90%,1)';
    const borderColor = bgColor;
    const shadowColor = 'hsla(' + Hue + ',100%,90%,1)';
    div.style.backgroundColor = bgColor;
    const size = Math.round(30 + Math.pow(context.count / count, 1 / 5) * 20);
    div.style.width = div.style.height = size + 'px';
    div.style.border = 'solid 1px ' + borderColor;
    div.style.borderRadius = size / 2 + 'px';
    div.style.boxShadow = '0 0 5px ' + shadowColor;
    div.innerHTML = context.count;
    div.style.lineHeight = size + 'px';
    div.style.color = fontColor;
    div.style.fontSize = '14px';
    div.style.textAlign = 'center';
    context.marker.setOffset(new AMap.Pixel(-size / 2, -size / 2));
    context.marker.setContent(div)
}

/**
 *
 * @param context
 * @private
 */
function _renderMarker(context) {
    var content = '<div style="background-color: rgba(255,255,178,.9); height: 18px; width: 18px; border: 1px solid rgba(255,255,178,1); border-radius: 12px; box-shadow: rgba(0, 0, 0, 1) 0px 0px 3px;"></div>';
    var offset = new AMap.Pixel(-9, -9);
    context.marker.setContent(content)
    context.marker.setOffset(offset)
    let datum = context.data[0];
    let id = datum.idId;
    const val = [
        {
            dId: datum.idId,
            text: datum.idVal,
        },
        // {
        //     dId: datum.lngId,
        //     text: datum.lngVal,
        // },
        // {
        //     dId: datum.latId,

```

```

        //      text: datum.latVal,
        // }
    ];

    /**
     * dId: Id
     * value: id (
     */
    const currentClicked = {
        dId: id,
        value: val
    };

    context.marker.on('click', ev => {
        debugger;
        //
        extensionCallBack(
            'click',
            currentClicked
        );
    })
}

}

/**
 *
 * @param dataMapping
 * @param dataModel
 * @returns {*}[]
 * @private
 */
function _getAllPoint(dataMapping, dataModel) {
    let lngId = dataMapping['lng'];
    let latId = dataMapping['lat'];

    let files = dataModel.fields;
    let rowCount = dataModel.rowCount
    const colData = dataModel.colData;

    let lngIndex;
    let latIndex;
    let idIndex;


    // demo
    files.forEach((item, index) => {
        if (lngId.indexOf(item.id) >= 0) {
            lngIndex = index;
        } else if (latId.indexOf(item.id) >= 0) {
            latIndex = index;
        } else {
            idIndex = index;
        }
    })

    var points = [];
    for (let i = 0; i < rowCount; i++) {
        points.push({
            lnglat: [colData[lngIndex][i], colData[latIndex][i]],
            lngId: files[lngIndex].id,
            latId: files[latIndex].id,
            idId: files[idIndex].id,
            lngVal: colData[lngIndex][i],
            latVal: colData[latIndex][i],
            idVal: colData[idIndex][i],
        })
    }

    return points;
}

```

```
//
new BIPlugin().init(render);
})(jQuery);
```



DEMO

DEMO

dimensionSelected

```

const currentClicked = {
  id1: value1,
  id2: value2,
  id3: value3
};

//
extensionCallBack("pointSelected", {
  pos: {
    x: x,
    y: y,
  },
  // id
  measure: measureId,
  //
  // id:
  row: currentClicked,
});

//
extensionCallBack("dimensionSelected", {
  pos: {
    x: x,
    y: y,
  },
  // id
  measure: measureId,
  //
  // id:
  row: currentClicked,
});

```

DEMO

demo

```

(function ($) {
  function render(
    data, //
    config, //
    saveSessionCallback,
    closeSessionCallBack,
    extensionCallBack
  ) {
    debugger;

    // dom
    const dom = document.getElementById("amap-demo-container");

    //
    dom.style.width = document.body.clientWidth + "px";
    dom.style.height = document.body.clientHeight + "px";

    const {
      // dataModels
      dataModels,
      // id
      dataMapping,
      // id
      chartAttrMapping,
      //
      clicked
    } =

```

```

} = data;

const {
  // id
  widgetId,
  //
  globalStyles,
  //
  chartAttr,
  //
  chartStyle,
  //
  symbolIconMap,
  // (saveSessionCallback)
  customConfig
} = config;

//
const mapAttribute = chartStyle["mapProp"]["value"];

//
let map;
if (customConfig != null && JSON.stringify(customConfig).length > 2) {
  //
  map = new AMap.Map(dom, {
    resizeEnable: true,
    center: [customConfig.lng, customConfig.lat],
    zoom: customConfig.zoom,
  });
} else {
  map = new AMap.Map(dom, {
    resizeEnable: true,
    center: [mapAttribute[0], mapAttribute[1]],
    zoom: mapAttribute[2],
  });
}

//
const styleName = "amap://styles/" + mapAttribute[3];
map.setMapStyle(styleName);

//
const points = _getAllPoint(dataMapping, dataModels[0]);

if (points != null) {
  //
  var pointCluster = new AMap.MarkerCluster(map, points, {
    gridSize: 60, //
    renderClusterMarker: _renderCarClusterMarker, //
    renderMarker: _renderMarker, //
  });
}

window.addEventListener("resize", function () {
  dom.style.width = document.body.clientWidth + "px";
  dom.style.height = document.body.clientHeight + "px";
});

document.querySelector("#amap-demo-click").onclick = function () {
  let conf = {
    zoom: map.getZoom(),
    lng: map.getCenter().lng,
    lat: map.getCenter().lat,
  };
  //
  saveSessionCallback(conf);
  extensionCallBack('refresh');
}

/**

```

```

*
* @param context
* @private
*/
function _renderCarClusterMarker(context) {
    let count = context.count;
    let factor = context.count / count;
    const div = document.createElement('div');
    const Hue = 180 - factor * 180;
    let bgColor;
    if (context.count < 10) {
        bgColor = 'hsla(108,100%,40%,1)';
    } else if (context.count < 100) {
        bgColor = 'hsl(201,100%,40%)';
    } else if (context.count < 1000) {
        bgColor = 'hsla(36,100%,50%,1)';
    } else if (context.count < 10000) {
        bgColor = 'hsla(0,100%,60%,1)';
    } else {
        bgColor = 'hsla(0,100%,40%,1)';
    }
    const fontColor = 'hsla(' + Hue + ',100%,90%,1)';
    const borderColor = bgColor;
    const shadowColor = 'hsla(' + Hue + ',100%,90%,1)';
    div.style.backgroundColor = bgColor;
    const size = Math.round(30 + Math.pow(context.count / count, 1 / 5) * 20);
    div.style.width = div.style.height = size + 'px';
    div.style.border = 'solid 1px ' + borderColor;
    div.style.borderRadius = size / 2 + 'px';
    div.style.boxShadow = '0 0 5px ' + shadowColor;
    div.innerHTML = context.count;
    div.style.lineHeight = size + 'px';
    div.style.color = fontColor;
    div.style.fontSize = '14px';
    div.style.textAlign = 'center';
    context.marker.setOffset(new AMap.Pixel(-size / 2, -size / 2));
    context.marker.setContent(div)
}

/**
*
* @param context
* @private
*/
function _renderMarker(context) {
    var content = '<div style="background-color: rgba(255,255,178,.9); height: 18px; width: 18px; border: 1px solid rgba(255,255,178,1); border-radius: 12px; box-shadow: rgba(0, 0, 0, 1) 0px 0px 3px;"></div>';
    var offset = new AMap.Pixel(-9, -9);
    context.marker.setContent(content)
    context.marker.setOffset(offset)
    let datum = context.data[0];
    // let id = datum.idId;
    // const val = [
    //     {
    //         dId: datum.idId,
    //         text: datum.idVal,
    //     },
    //     {
    //         dId: datum.lngId,
    //         text: datum.lngVal,
    //     },
    //     {
    //         dId: datum.latId,
    //         text: datum.latVal,
    //     }
    // ];

    // /**
    // * dId: Id
    // * value: id (
    // */

```

```

        // const currentClicked = {
        //     dId: id,
        //     value: val
        // };

        // context.marker.on('click', ev => {
        //     debugger;
        //     //
        //     extensionCallBack(
        //         'click',
        //         currentClicked
        //     );
        // });

        const currentClicked = {
            [datum.idId]: datum.idVal,
            [datum.lngId]: datum.lngVal,
            [datum.latId]: datum.latVal
        };

        const currentId = datum.lngId
        context.marker.on('click', ev => {
            debugger;
            //
            const demo = {
                pos: {
                    x: window.event.pageX,
                    y: window.event.pageY,
                },
                // id
                measure: currentId,
                //
                // id:
                row: currentClicked,
            };
            //
            // extensionCallBack("pointSelected", demo);
            //
            // extensionCallBack("dimensionSelected", demo);
            for (let i = 0; i < data.dataModels[0].fields.length; i++) {
                let field = data.dataModels[0].fields[i];
                if (field.id === currentId) {
                    //
                    if (field.isDimension) {
                        extensionCallBack("dimensionSelected", demo);
                    } else if (field.isMeasure) {
                        extensionCallBack("pointSelected", demo);
                    }
                    break;
                }
            }
        });
    }
}

/**
 *
 * @param dataMapping
 * @param dataModel
 * @returns {*}[]
 * @private
 */
function _getAllPoint(dataMapping, dataModel) {
    let lngId = dataMapping['lng'];
    let latId = dataMapping['lat'];

    let files = dataModel.fields;
    let rowCount = dataModel.rowCount
    const colData = dataModel.colData;

```



```

let lngIndex;
let latIndex;
let idIndex;

// demo
files.forEach((item, index) => {
  if (lngId.indexOf(item.id) >= 0) {
    lngIndex = index;
  } else if (latId.indexOf(item.id) >= 0) {
    latIndex = index;
  } else {
    idIndex = index;
  }
})

var points = [];
for (let i = 0; i < rowCount; i++) {
  points.push({
    lnglat: [colData[lngIndex][i], colData[latIndex][i]],
    lngId: files[lngIndex].id,
    latId: files[latIndex].id,
    idId: files[idIndex].id,
    lngVal: colData[lngIndex][i],
    latVal: colData[latIndex][i],
    idVal: colData[idIndex][i],
  })
}

return points;
}

//
new BIPlugin().init(render);
})(jQuery);

```

id	lat	lng	value
0		113.86	23.34
1		113.37	23.34
2		112.99	23.15
3		112.56	20.23
4		120.42	32.22
5		120.04	28.21
6		126.69	45.79
7		103.87	30.4
8		117.21	31.83
9		121.41	31.06
合计		1,161.88	287.36

DEMO

DEMO

value setValue

```

//
<Widget
  type={type}
  value={currentValue}
  setValue={(v: any) => {
    this.store.updateConfig(v, boxName, index);
  }}
/>;

// demo
// json
{
  "name": "",
  "type": "bi.test.widget",
  "defaultValue": "1"
}
// subjectPage
// bi.test.widget
render() {
  const { value, setValue } = this.options;

  return (
    <TextValueCombo
      simple
      value={value}
      height={24}
      items={[
        {
          text: '1',
          value: '1',
        },
        {
          text: '2',
          value: '2',
        },
      ]}
      listeners={[
        {
          eventName: TextValueCombo.EVENT_CHANGE,
          action: v => {
            setValue(v);
          },
        },
      ]}
    />
  );
}

```

subjecttype

.js

```
!(function () {
  /**
   * subject
   */
  var Demo = BI.inherit(BI.Widget, {

    props: {
      baseCls: ""
    },

    render: function () {
      var self = this;
      // self.options.setValue
      debugger;
      return {
        type: "bi.vertical",
        width: 300,
        items: [
          {
            el: {
              type: "bi.vertical_adapt",
              items: [
                {
                  el: {
                    type: "bi.label",
                    text: "",
                    textAlign: "left",
                  },
                  width: 70,
                  rgap: 10,
                },
                {
                  el: {
                    type: "bi.editor",
                    value: self.options.value, // value
                    cls: "bi-border bi-border-radius",
                    width: 150,
                    allowClear: !1,
                    height: 24,
                    ref: function (e) {
                      self.myNameEditor = e;
                    },
                    listeners: [
                      {
                        eventName: "EVENT_CHANGE",
                        action: function () {
                          debugger;
                          // value
                          self.options.setValue(this.getValue());
                        },
                      },
                    ],
                  },
                ],
              },
            },
            tgap: 10,
          },
        ],
      };
    },

  });
  BI.shortcut("bi.amap.demo", Demo);
})();
```

json

```
},
"attrRegions": {
  {
    "name": "图粒度",
    "text": "Plugin-DEMO_WEB_F0",
    "multiFields": false,
    "settings": []
  },
  Ivan.Guo-郭一凡 · 4 minutes ago · @0.7: 图表DEMO_EX 自定义
  {
    "name": "test",
    "text": "测试",
    "multiFields": false,
    "settings": [
      {
        "name": "test1",
        "text": "测试1",
        "type": "bi.gmap.demo",
        "defaultValue": {}
      }
    ]
  }
],
"chartStyle": {
```

测试 ⚙️

拖入一个字段

测试1

名称

DEMO

[DEMO](#)