

- 
- 
- 
- - AgentApple IDAdmin
  - 
  - mac7
    - 1.[]
    - 2.
    - 3.production
    - 4.iOS DistributionApp StoreEnterprise
    - 5.root
    - 6.BobbyXcode
    - 7.Mac
    - 8.5
    - =:xxxxxxxx
    - 9.
    - 10.p12
- - 0.12
  - 1.provisioning profilesproduction
  - 2.app
  - 3.
  - 4.mobileprovision
- - QA

1. App StoreApp12App
2. mobileprovisionApp

1. "iOS Developer Program"
2. iOS[IOS])
3. Macmac
4. Xcode


- 1.
2. App Store
3. Enterprise

Enterprise

EnterpriseApp Store ConnectEnterprise

# Example co. Ltd

## Apple Developer Enterprise Program



## AgentApple IDAdmin

AgentAppleIDAdmin

6


AdminBobby6BobbyBobbyAppleID


.cer

.p12XCode46~10

mac7


1.[]






2.

## Apple Developer Enterprise Program




## 3. production



## 4.iOS DistributionApp StoreEnterprise



Download



5.root


Mac



p126


-----2-----

6.BobbyXcode




=XCode=Preferences=Bobby


BobbyAgentAgentAdmin



Manage Certificates



+iOS Distribution







ps2

1.iOS Distribution21iOS Distribution

2.Xcode




7.Mac



8.5

BobbyDistribution



==:XXXXXXXX

.p12)

存储为: cert

标记:

位置: 下载

文件格式: 个人信息交换 (.p12)

取消

存储

9.

OEM

输入将用来保护输出项目的密码：

密码： .....

验证： .....

密码强度：弱

☐ 显示密码

取消 好

## 10.p12

p12 App OEM


0.12

## App IDs“Push Notifications”

mobileprovisionmobileprovision

“Identifiers”“App IDs”IDmobileprovisionPush Notificationsedit

## 1.provisioning profilesproduction



## 2.app

- manually generate profiles
- In house Distribution provisioning profile2




▪ AppXCappcom.xxx.xxx

▪  
▪

3.

- 1.
2. statusActive
3. Enable CapabilityPush Notification
4. TypeiOS UniversalDistribution

- Edit
- Download



provisioning profile p12  
Edit

#### 4.mobileprovision

mobileprovision App OEM

#### QA

<https://developer.apple.com/cn/support/certificates/>