

# UI

## UI

provider			&
bi.provider.conf.list.report.item	<pre>addReportOperatorItems(   items: any[], position: number = 0 )</pre>	tab	<p>tab</p> <p>blocked URL e.g. 3</p> <pre>BI.config('bi.provider.conf.list.report.item', (provider) =&gt; {   provider.addReportOperatorItem([{     text: "",     cls: 'inject-font',     handler: function () {       const refresh = this.attr("refresh"); //       const { id } = this.attr("reportInfo"); //       // do something       refresh(); //     }], 3) })</pre>
bi.provider.conf.list.widget.item	<pre>addWidgetOperatorItem(items: any[],   position: number = 0)</pre>	tab	<p>tab</p> <p>blocked URL e.g. 3</p> <pre>BI.config('bi.provider.conf.list.widget.item', (provider) =&gt; {   provider.addWidgetOperatorItem([{     text: "",     cls: 'inject-font',     handler: function () {       const refresh = this.attr("refresh"); //       const { id } = this.attr ("widgetInfo"); //       // do something       refresh(); //     }], 3) })</pre>
bi.provider.conf.toolbars_analysis	<pre>addToolItems(items: any[])</pre>		<p>blocked URL</p> <p>e.g.</p> <pre>BI.config('bi.provider.conf.toolbars_analysis', (provider) =&gt; {   provider.addTooItems([{     type: "bi.button",     text: "",     handler: () =&gt; { BI.Msg.alert('1') }   }]); })</pre>

bi.provider.conf.toolbars.analysis_preview	addToolItems(items: any[])	UI	blocked URL e.g. <pre> BI.config('bi.provider.conf.toolbars.analysis_preview', (provider) =&gt; {   provider.addToolItems([     {       type: "bi.button",       text: "",       handler: () =&gt; { BI.Msg.alert('1') }     }   ]); }); </pre>
bi.provider.conf.toolbars	addToolItems(items: any[])		blocked URL e.g. <pre> BI.config('bi.provider.conf.toolbars', (provider) =&gt; {   provider.inject([     {       type: 'bi.button',       value: 10, // value       openLayerType: 'bi.xxx.layer', //     }   ]); }); </pre>
bi.provider.conf.pack.table.toolbars	inject() filter()		blocked URL e.g. <pre> BI.config('bi.provider.conf.toolbars', (provider) =&gt; {   provider.inject([     {       type: 'edit_custom_table',       content: ""     },     {key1}   ]);   provider.filter("my-key"); }); </pre>
bi.provider.detail.widget.down_list_item	insertBefore(item: Obj) push(items: Obj)		blocked URL e.g. <pre> BI.config('bi.provider.detail.widget.down_list_item', (provider) =&gt; {   provider.insertBefore({     type: 'bi.icon_button',     cls: 'icon-font',     handler: function(){       console.log('1');     }   }); }); </pre>
bi.provider.design.widget_dashboard_toolbar.more_item	insertBefore(items: Obj)		blocked URL e.g. <pre> BI.config("bi.provider.design.widget_dashboard_toolbar.more_item", (provider) =&gt; {   provider.push([     {       value: De xtype,       cls: "data-sentinel-font",       text: BI.i18nText("Data- </pre>

	<pre>push(items: Obj)</pre>	<pre>Sentinel_Create_Sentinel"),         title: BI.i18nText("Data- Sentinel_Create_Sentinel"),         operator: function() {             //do something         }     }) });</pre>
bi.provider.dashboard_toolbar	<pre>addToolItems(items: any[])</pre>	<p>blocked URL</p> <p>e.g.</p> <pre>BI.config('bi.provider.dashboard_toolbar', (provider) =&gt; {     provider.addToolItems({         type: 'bi.icon_button',         cls: 'icon-font',         handler: function(){             console.log('1');         }     }); });</pre>
bi.provider.show.dashboard_toolbar	<pre>addToolItems(items: any[])</pre>	<p>blocked URL</p> <pre>BI.config('bi.provider.show.dashboard_toolbar', (provider) =&gt; {     provider.addToolItems({         type: 'bi.icon_button',         cls: 'icon-font',         handler: function(){             console.log('1');         }     }); });</pre>
bi.provider.design.widget_dashboard_toolbar	<pre>addToolItems(items: any[])</pre>	<p>blocked URL</p> <pre>BI.config('bi.provider.design.widget_dashboard_toolbar', (provider) =&gt; {     provider.addToolItems({         type: 'bi.icon_button',         cls: 'icon-font',         handler: function(){             console.log('1');         }     }); });</pre>

bi.provider.design.widget.detail

injectCollapseWidget(func: Function)

BI

```
BI.config('bi.provider.design.widget.detail', function (provider) {
  provider.injectCollapseWidget(function (obj) {
    return {
      el: {
        type: 'bi.absolute',
        css: {
          'z-index': 1,
        },
        items: [
          {
            el: {
              type: BI.Layout xtype,
              cls: 'bi-plugin-push-button-
background',
              width: 90,
              height: 25,
            },
            top: 32,
            left: -32,
            bottom: 0,
            right: 0,
          },
          {
            el: {
              type: "bi.icon_change_button",
              iconCls: 'next-page-h-font',
              listeners: [{
                eventName: 'EVENT_CHANGE',
                action: function () {
                  this.setIcon(this.
isSelected() ? 'pre-page-h-font' : 'next-page-h-font');
                  if (this.isSelected()) {
                    obj.expand();
                  } else {
                    obj.collapse();
                  }
                }
              }],
              mounted: function () {
                obj.collapse();
              }
            },
            top: 0,
            right: 5,
            bottom: 0,
            left: 0,
          },
        ],
      },
      top: 0,
      right: -25,
      width: 25,
      height: 90,
    }
  });
});
```