

-
-
- ResourceIOUtils
-
-

- ResourceRepositoryFTPOSSHDFS
- InputStreamjava.io.FilereadwriteexistcreatecreateDirectorylistcopyrename

- ResourceRepositoryActivatorActivatorResourceModuleContext
- @ju
- ResourceModuleContextResourceModuleContext
- 0
- 1
- 2
- 3
- 4
- 5
- 6
-
- 1RepositoryFactoryProvider<T extends UniqueKey>RepositoryConfigManagerProvider<T extends UniqueKey>
- 2

```
FTPRepositoryProfile.create(FTP_REPO_NAME, bean.getPath(), config).install().apply();

    InstalledComponent<FTPConfig> component = FTPRepositoryProfile.create(FTP_REPO_NAME, bean.
getPath(), config).install();
    component.apply();
    //component.apply(RepositoryApplyPolicy.SELECTABLE);
```

3apply

ResourceIOUtils

ResourceIOUtilsResourceIOUtilsResourceIOUtilsResourceIOUtils

1WEB-INFreportletsresourcesassertspluginsscheduleResourceRepositoryResourceIOUtils

2ResourceIOUtilsFTPlogslibsFileSystemRepositoryFTPResourceRepository

3

		/
renameTo		
close		
copy		
createFile		false

createDirectory		mkdirmkdis
isDirectory		
getName		
exist		
list		
listWithFullPath		
isDirectoryExist		
read		
readBytes	byte[]	
write		InputStreambyte[]String
delete		
getParent		
inputStream2String	InputStreamString	
inputStream2Bytes	InputStreambyte[]	
readFileFromRepoToLocal		
readDirFromRepoToLocal		
unzip		

ResourceRepository

1FTP./reportlets/./resources/./plugins/./asserts./bireport

2WEB-INF

aread("/reportlets/xxx.cpt")workroot + /reportlets/xxx.cpt

bWEB-INFfinedb/db.propertiesworkroot+ /finedb/db.properties

c/Users/rinoux/FineProjects/finereport-ft/env/WebReport/WEB-INF/reportlets/xxx.cpt

ResourceIOUtils

```
com.fr.workspace.resource.WorkResource rs = com.fr.workspace.WorkContext.getWorkResource();
```

WorkResource

