

Demo

API

- IFIntegrationUtils()
- IEntryNode/
- IEntryViewController/IEntryNode
- IFrameDirectoryViewController/IFIntegrationUtils
- IFOEMUtilsApp(oem)
- IAppDelegate/OEMDelegate/Delegate
- IFrameAppSettingViewController/FR
- IFrameAppSettingItem/FRblock


DEMO:

1.ios sdk


:<https://dn-finereportmobiledemo.qbox.me/ios.html?v=201605241422>

(ps:vv=)

2.FRDemo.xcodeproj




:
1.




:AFNetworkingUIKit+AFNetworkingXGPushBaiduMapWeiXinSDK

target->build settings SearchPaths:




libbuild Phaseslink Binary With Libraries




2.:FineSoft.framework

target->build phases compile Sources link Binary With Libraries finesoft.framework,




ps:FineSoft.frameworkdemolink Binary With Librarieslibrarieslink Binary With Libraries)




3.:IFImages.xcassets

target->build phases,copy bundle ResourcesIFImages.xcassets.:



4.:FineResource.bundle

target->build phases,copy bundle ResourcesFineResource.bundle.:



::

main.(.oem)

FRDemo > FRDemo > Supporting Files > main.m > main()

```
//  
// main.m  
// FRDemo  
//  
// Created by 魏阳露 on 14-10-13.  
// Copyright (c) 2014年 魏阳露. All rights reserved.  
//  
  
#import <UIKit/UIKit.h>  
#import "AppDelegate.h"  
#import "AppDelegate4OEM.h"  
  
int main(int argc, char * argv[]) {  
    @autoreleasepool {  
        //一般集成  
        return UIApplicationMain(argc, argv, nil, NSStringFromClass([AppDelegate class]));  
        //OEM集成  
        return UIApplicationMain(argc, argv, nil, NSStringFromClass([AppDelegate4OEM class]));  
    }  
}
```