

# toast

toasttoast

toast

```
/com/fr/fs/plugin/customstyle/toast/[toast] (toast)
|----style.css //
|----style.js //
|----cover.png //( 240*88 )
|----cover@2x.png// MacOS480*176
|----()
```

*toasttoast*

## toast

```
toast : function(message) {
  /*toast*/
  /*toast*/
  /*toast*/
}
```

## toast

*toastjscss*

toaststyle.jsFR.Msg

```
(function ($) {
  $.extend(FR.Msg, {
    toast: function(message){
      /*toast*/
    }
  });
})(jQuery);
```

Drop\_Down\_B toast

Drop\_Down\_B toastDemo:

## style.css

```
.customToast {
  -webkit-box-shadow: rgba(0, 0, 0, 0.296875) 0px 1px 2px;
  background: #01b0f4;
  filter: alpha(opacity=90);
  -moz-opacity:0.9;
  opacity: 0.9;
  color: #FFFFFF;
  cursor: pointer;
  font-size: 13px;
  font-family: "PingFang SC", "Microsoft YaHei", "Myriad Pro", "OpenSans", Verdana, sans-serif;
  font-weight: bold;
  padding: 10px 20px 10px 20px;
  position: absolute;
  _position: absolute;
  line-height: 30px;
  width: 100%;
  z-index: 5;
  text-align: center
}
```

## style.js

```
function ($) {
    $.extend(FR.Msg, {
        toast: function(message){
            var $tabContent = $("div.fs-tab-content");
            /*toasttoast*/
            if($tabContent.length === 0){
                this.reportToast(message);
            }
            else{
                this.fsToast(message);
            }
        },
        fsToast: function(message){
            var toTop = -50;
            var $dv = $("div.fs-tab-content").children('div.customToast');
            $dv.css({
                opacity: 0
            });
            if ($dv.length === 0) {
                $dv = $("<div/>").addClass('customToast').css({
                    top: toTop
                }).appendTo("div.fs-tab-content");
            }
            $dv.text(message);
            $dv.show();
            $dv.animate({
                top: 0,
                opacity: 0.8
            }, 200);
            (function() {
                $dv.animate({
                    top: toTop,
                    opacity: 0
                }, 200);
            }).defer(3000);
            (function() {
                $dv.hide();
            }).defer(3200);
        },
        reportToast: function(message){
            var toTop = -50;
            var $dv = $("body").children('div.customToast');
            if ($dv.length === 0) {
                $dv = $("<div/>").addClass('customToast').css({
                    top: toTop
                }).appendTo("body");
            }
            $dv.text(message);
            $dv.animate({
                top: 0
            }, 200);
            (function() {
                $dv.animate({
                    top: toTop
                }, 200);
            }).defer(3000);
        }
    });
})(jQuery);
```

## plugin.xml

```
/*style.js*/  
<?xml version="1.0" encoding="UTF-8" standalone="no"?>  
<plugin>  
  <id>com.fr.fs.plugin.customstyle.toast.[(defined toast name)]</id>  
  <name><![CDATA[(plugin name)]]></name>  
  <active>yes</active>  
  <version>1.0</version>  
  <env-version>8.0</env-version>  
  <jartime>2015-01-07</jartime>  
  <vendor>[(author name)]</vendor>  
  <description><![CDATA[(plugin description)]></description>  
  <change-notes><![CDATA[]]></change-notes>  
</plugin>
```



## toast

- (1) *Default, Drop\_Down\_B, Popup\_Right\_B*
- (2) *com.fr.fs.plugin.customstyle.toast.[toast]*
- (3) *toastresourcescustomstyle.xml*