

toast

FineReporttoasttoast

FineReport V8.02016-04-29toasttoasttoast

toastFR.Msg.toast

style.js

```
(function ($) {
    $.extend(FR.Msg, {
        toast: function(message){
            /*toast*/
        }
    });
})(jQuery);
```

toast“”

plugin.xml

```
/*style.js*/
<?xml version="1.0" encoding="UTF-8" standalone="no"?>
<plugin>
    <id>com.fr.fs.plugin.customstyle.toast.[(defined toast name)]</id>
    <name><![CDATA[(plugin name)]]></name>
    <active>yes</active>
    <version>1.0</version>
    <env-version>8.0</env-version>
    <jartime>2015-01-07</jartime>
    <vendor>[(author name)]</vendor>
    <description><![CDATA[(plugin description)]]></description>
    <change-notes><![CDATA[ ]]></change-notes>
</plugin>
```

plugin-toast_Popup_Right_R

共享 查看

此电脑 > 本地磁盘 (G:) > test > plugin-toast_Popup_Right_R >					搜索"plu
	名称	修改日期	类型	大小	
	lib	2016/6/22 14:49	文件夹		
	src	2016/6/22 14:49	文件夹		
	build.xml	2016/6/23 17:10	XML 文件	5 KB	
	plugin.xml	2016/6/23 17:14	XML 文件	1 KB	
	plugin-customstyle.iml	2016/6/14 13:49	IML 文件	2 KB	

plugin.xml

plugin.xml

```
<?xml version="1.0" encoding="UTF-8" standalone="no"?><plugin>
  <id>com.fr.fs.plugin.customstyle.toast.[plugintest]</id>
  <name><![CDATA[plugintest]]></name>
  <active>yes</active>
  <version>1.0</version>
  <env-version>8.0</env-version>
  <jartime>2015-01-07</jartime>
  <vendor>[author name]</vendor>
  <description><![CDATA[plugin description]]></description>
  <change-notes><![CDATA[]]></change-notes>
</plugin>
```

ps: "[]"


style.css, style.js, cover.png, cover@2x.png[toast](#)

plugin-toast_Popup_Right_R > src > com > fr > fs > plugin > customstyle > toast > Popup_Right_R				
cover.png	2016/6/21 16:33	PNG 图像	7 KB	
cover@2x.png	2016/6/21 16:33	PNG 图像	15 KB	
style.css	2016/6/21 18:56	CSS 文件	1 KB	
style.js	2016/6/22 14:51	JS 文件	2 KB	

toasttoast



->toasttoast



http://cloud.finedevelop.com:2015/projects/PB/repos/plugin-toast_popup_right_r