

Demo

API

- IFIntegrationUtils()
- IFEntryNode/
- IFEntryViewControllerIFEntryNode
- IFFrameDirectoryViewControllerIFIntegrationUtils
- IFOEMUtilsApp(oem)
- IFAppDelegateOEMDelegateDelegate
- IFFrameAppSettingViewControllerFR
- IFFrameAppSettingItemFRblock


DEMO:

1.ios sdk

:<https://dn-finereportmobiledemo.qbox.me/ios.html?v=201605241422>


(ps:vv=)

2.FRDemo.xcodeproj




:

1.




:AFNetworkingUIKit+AFNetworkingXGPushBaiduMapWeiXinSDK

target->build settings SearchPaths:




libbuild Phaseslink Binary With Libraries




2.:FineSoft.framework

target->build phases compile Sources link Binary With Librariesfinesoft.framework,




ps:FineSoft.frameworkdemolink Binary With Librarieslibrarieslink Binary With Libraries)




3.:IFImages.xcassets

target->build phases,copy bundle ResourcesIFImages.xcassets.:



4.:FineResource.bundle

target->build phases,copy bundle ResourcesFineResource.bundle.:



::

main.(oem)

FRDemo > FRDemo > Supporting Files > main.m > main()

```
//
// main.m
// FRDemo
//
// Created by 魏阳露 on 14-10-13.
// Copyright (c) 2014年 魏阳露. All rights reserved.
//

#import <UIKit/UIKit.h>
#import "AppDelegate.h"
#import "AppDelegate4OEM.h"

int main(int argc, char * argv[]) {
    @autoreleasepool {
        //一般集成
        return UIApplicationMain(argc, argv, nil, NSStringFromClass([AppDelegate class]));
        //OEM集成
        return UIApplicationMain(argc, argv, nil, NSStringFromClass([AppDelegate4OEM class]));
    }
}
```