

com.fr.stable.fun.RequestParameterHandler

-
-
-
-
-
-
-
-
-

WebUtilsRequestParameterHandler

RequestParameterHandler.java

```
/*
 * Copyright (c) 2001-2014, FineReport Inc, All Rights Reserved.
 */

package com.fr.stable.fun;

import com.fr.stable.fun.mark.Immutable;

import javax.servlet.http.HttpServletRequest;

/**
 * @author : richie
 * @since : 8.0
 */
public interface RequestParameterHandler extends Immutable {

    String XML_TAG = "RequestParameterHandler";

    int CURRENT_LEVEL = 1;

    /**
     * HTTP
     *
     * @param req HTTP
     * @param name
     * @return
     */
    Object getParameterFromRequest(HttpServletRequest req, String name);

    /**
     * HTTP
     *
     * @param req HTTP
     * @param name
     * @return
     */
    Object getParameterFromRequestInputStream(HttpServletRequest req, String name);

    /**
     * HTTP
     *
     * @param req HTTP
     */
}
```

```

    * @param name
    * @return
    */
    Object getParameterFromAttribute(HttpServletRequest req, String name);

    /**
     * JSON
     *
     * @param req HTTP
     * @param name
     * @return
     */
    Object getParameterFromJSONParameters(HttpServletRequest req, String name);

    /**
     * HTTP
     *
     * @param req HTTP
     * @param name
     * @return
     */
    Object getParameterFromSession(HttpServletRequest req, String name);

    /**
     * header
     *
     * @param name
     * @param req http
     * @return
     */
    Object getParameterFromHeader(HttpServletRequest req, String name);
}

```

FR	8.0		
FR	9.0		
FR	10.0		
BI	3.6		
BI	4.0		
BI	5.1		
BI	5.1.2		
BI	5.1.3		

plugin.xml

```

<extra-core>
    <RequestParameterHandler class="your class name"/>
</extra-core>

```

AbstractRequestParameterHandlerDefaultRequestParameterHandler

[WebUtils](#)finekitkit

demodemo-request-parameter-handler

[com.fr.web.utils.WebUtils](#)