

com.fr.stable.fun.RequestParameterHandler

•
•
•
•
•
•
•
•
•

WebUtilsRequestParameterHandler

RequestParameterHandler.java

```
/*
 * Copyright (c) 2001-2014, FineReport Inc, All Rights Reserved.
 */

package com.fr.stable.fun;

import com.fr.stable.fun.mark.Immutable;

import javax.servlet.http.HttpServletRequest;

/**
 * @author : richie
 * @since : 8.0
 */
public interface RequestParameterHandler extends Immutable {

    String XML_TAG = "RequestParameterHandler";

    int CURRENT_LEVEL = 1;

    /**
     * HTTP
     *
     * @param req HTTP
     * @param name
     * @return
     */
    Object getParameterFromRequest(HttpServletRequest req, String name);

    /**
     * HTTP
     *
     * @param req HTTP
     * @param name
     * @return
     */
    Object getParameterFromRequestInputStream(HttpServletRequest req, String name);

    /**
     * HTTP
     *
     * @param req HTTP

```

```

    * @param name
    * @return
    */
Object getParameterFromAttribute(HttpServletRequest req, String name);

/**
 * JSON
 *
 * @param req HTTP
 * @param name
 * @return
 */
Object getParameterFromJSONParameters(HttpServletRequest req, String name);

/**
 * HTTP
 *
 * @param req HTTP
 * @param name
 * @return
 */
Object getParameterFromSession(HttpServletRequest req, String name);

/**
 * header
 *
 * @param name
 * @param req http
 * @return
 */
Object getParameterFromHeader(HttpServletRequest req, String name);
}

```

FR	8.0		
FR	9.0		
FR	10.0		
BI	3.6		
BI	4.0		
BI	5.1		
BI	5.1.2		
BI	5.1.3		

plugin.xml

```

<extra-core>
    <RequestParameterHandler class="your class name"/>
</extra-core>

```

AbstractRequestParameterHandlerDefaultRequestParameterHandler
[WebUtils](#)finekitkit

demo[demo-request-parameter-handler](#)
[com.fr.web.utils.WebUtils](#)