

com.fr.stable.fun.IOFileAttrMark

-
-
-
-
-
-
-
-
-

///readXMLwriteXMLIOFileAttrMark

IOFileAttrMark.java

```
package com.fr.stable.fun;

import com.fr.json.JSONException;
import com.fr.json.JSONObject;
import com.fr.stable.fun.mark.Mutable;
import com.fr.stable.xml.XMLable;

/**
 * Created by richie on 16/4/19.
 * IOFile
 */
public interface IOFileAttrMark extends Mutable, XMLable {

    String MARK_STRING = "IOFileAttrMark";

    int CURRENT_LEVEL = 1;

    /**
     * XML,
     * @return XML
     */
    String xmlTag();

    /**
     * json
     * @return json
     */
    JSONObject createJSONConfig() throws JSONException;

    /**
     *
     * @return
     */
    IOFileAttrMark clone();
}
```

FR	8.0		
FR	9.0		
FR	10.0		

plugin.xml

```
<extra-core>  
    <IOFileAttrMark class="your class name"/>  
</extra-core>
```

```
Set<IOFileAttrMark> attrs = PluginModule.getAgent(PluginModule.ExtraCore).getArray(IOFileAttrMark.MARK_STRING);
```

```
xmlIOFileAttrMarkReader.readmap
```

```
IOFileAttrMarkManager.getAllAsMapgetExtraMarks
```

```
AttrMarkRichStyleWidgetProvider
```

```
demodemo
```

```
demodemo-menu-handlerattr-mark
```