

com.fr.decision.fun.URLAliasProvider

-
-
-
-
-
-
-
-

WEBopcmd10.0spring10.0webHttpHandlerProvider

web

URLAliasProvider.java

```
package com.fr.decision.fun;

import com.fr.decision.webservice.url.provider.URLAliasRegister;
import com.fr.stable.fun.mark.Mutable;

/**
 * Created by loy on 2018/9/12.
 */
public interface URLAliasProvider extends URLAliasRegister, Mutable {

    String XML_TAG = "URLAliasProvider";

    int CURRENT_LEVEL = 1;

}
```

URLAliasRegister.java

```
package com.fr.decision.webservice.url.provider;

import com.fr.decision.webservice.url.alias.URLAlias;

/**
 * Created by loy on 2018/9/18.
 */
public interface URLAliasRegister {

    URLAlias[] registerAlias();

}
```

URLAliasFactory.java

```
package com.fr.decision.webservice.url.alias;

import com.fr.decision.webservice.url.alias.impl.DecisionURLAlias;
import com.fr.decision.webservice.url.alias.impl.PluginURLAlias;
import com.fr.decision.webservice.url.alias.impl.RawURLAlias;

/**
 * Created by loy on 2018/9/12.
 */
public class URLAliasFactory {

    ...

    public static URLAlias createPluginAlias(String aliasPath, String pluginPath) {
        return createPluginAlias(aliasPath, pluginPath, false);
    }

    public static URLAlias createPluginAlias(String aliasPath, String pluginPath, boolean isPublic) {
        return createPluginAlias(aliasPath, pluginPath, isPublic, false);
    }

    public static URLAlias createPluginAlias(String aliasPath, String pluginPath, boolean isPublic, boolean
wideRange) {
        PluginURLAlias alias = new PluginURLAlias();
        alias.setShortPath(aliasPath);
        alias.setPluginPath(pluginPath);
        alias.setPublicURL(isPublic);
        alias.setWideRange(wideRange);
        return alias;
    }

}
```

FR	10.0		
BI	5.1		
BI	5.1.2		
BI	5.1.3		

plugin.xml

```
<extra-decision>
  <URLAliasProvider class="your class name"/>
</extra-decision>
```

URLAliasProviderURLAliasManager#initAliasCollectionURLAliasProviderContainer

ShortURLService /url/*URLAliasManager#resolveAlias(path)

1

23URLAliasFactory.createPluginAlias

String aliasPath

String pluginPathpath (getPath)

boolean isPublicisPublic

boolean wideRangefalsepathpathpathfalse,

3PluginURLAlias setPluginIddemo

demo1

demodemo-url-aliasdemo-web-request

com.fr.decision.fun.HttpHandlerProvider

(1)web

open-JSD-7868

open-JSD-7837

open-JSD-7660

open-JSD-7639

open-JSD-7546

open-JSD-7339